

**MADE IN
GERMANY**

Bestseller program

**Your engine
deserves
the best.**

**Premium lubricants for
the highest demands.**

purifying our planet



hengst.com/lubricants

Hengst
FILTRATION

There's more for you here. Five good reasons for Hengst oil.

1. Premium quality

Innovative lubricant and engine oil solutions for greater performance and economy. As a long-standing development partner to the industry, we understand the world of fluid management. This knowledge is the basis for our high-quality products.

2. Comprehensive range

With around 3,500 products as well as high-quality lubricants and coolants, our portfolio covers all original equipment requirements. And our range is constantly growing - also in areas outside of filtration.

3. Personal service

Your contact person always has an open ear for you and takes care of your wishes directly. We attach great importance to customer proximity and want you to feel that you are in good hands with us.

4. Fast logistics

We deliver what you need. Quickly and reliably thanks to our efficient logistics. Even in small quantities.

5. Marketing in partnership

We work successfully with our partners on a long-term basis and support them in marketing our products.



Click here for
the YouTube
video in the
HENGST.garage

What are lubricants good for?

Oils and lubricants perform numerous functions in the vehicle to ensure the safe operation and service life of the drive. They not only reduce friction between mechanical components, but also contribute to more efficient cooling and improved corrosion protection. They are used for sealing and cleaning by binding interfering particles and thus reducing wear in engines and transmissions. Users should therefore attach great importance to the use of high-quality, standard-compliant and suitable oils.

Approvals for the respective intended use provide clarity and orientation, and the quality criteria of ACEA (European Automobile Manufacturers Association) and API (American Petroleum Institute) must also be observed.

The requirements of the EURO standards, which determine the emission values for fuel-powered engines, are also relevant. For example, an engine oil that was developed for the EURO3 standard cannot be used for EURO6 engines. The use of incorrect or inferior oils can lead to engine damage.

Sustainable lubricants

Hengst's sustainable Blue.balance oil is based on a combination of high-quality regenerated base oils and additives. This special blend not only offers outstanding performance and protection for the engine, but also makes a significant contribution to reducing the environmental impact. Compared to base oils from primary production, regenerated base oils cause only around 35 percent of CO₂



Info

Quality oils from Hengst

Engine oils, transmission oils and coolants from Hengst meet the high quality standards of original equipment. The products are made from 100 percent high-quality base oils and additives. They are therefore quality products that ensure the oil supply of engines under all operating conditions.

emissions and are therefore a more environmentally friendly alternative. And they are „Made in Germany“.

Blue·balance

Premium lubricants for the highest demands.

Engine oil for passenger cars



Type	Specifications	Liter	Article number
0W-16 Pro	API SP • ILSAC GF-6B	1	1203 800 000
		4	1204 800 000
		5	1205 800 000
		20	1206 800 000
		60	1207 800 000
		208	1208 800 000
		1,000	1209 800 000
0W-20 C5 Pro	ACEA C5 • API SN • MB 229.71 • Jaguar / Land Rover STJLR.51.5122	1	846 800 000
		4	847 800 000
		5	848 800 000
		20	849 800 000
		60	850 800 000
		208	851 800 000
		1,000	852 800 000
0W-20 C5 Pro S	ACEA C5 • API SN Plus • VW 508 00 / 509 00 • VW TL 52577 • Porsche C20	1	869 800 000
		4	870 800 000
		5	871 800 000
		20	872 800 000
		60	873 800 000
		208	874 800 000
		1,000	875 800 000
0W-20 Pro	API SN Plus • ILSAC GF-5 • GM dexos 1 Gen 2 • Ford WSS-M2C947-A	1	587 800 000
		4	588 800 000
		5	589 800 000
		20	590 800 000
		60	1086 800 000
		208	591 800 000
		1,000	592 800 000
0W-30 A3/B4 Pro	ACEA A3/B4 • API SL • MB 229.5 / 229.3 • VW 502 00 / 505 00 • Renault RN 0700 / RN 0710 • Volvo VCC95200356	1	876 800 000
		4	877 800 000
		5	878 800 000
		20	879 800 000
		60	880 800 000
		208	881 800 000
		1,000	882 800 000

All information without guarantee. The table shows an excerpt from our constantly growing product range.

For more detailed information on the below vehicle classifications and other vehicle applications, please visit our oil finder:

www.hengst.com/en/products/catalogs/oil-finder

Engine oil for passenger cars



Type	Specifications	Liter	Article number
0W-40 A3/B4 Pro	ACEA A3/B4 • API SN/CF • MB 229.5 / 226.5 • BMW Longlife-01 • VW 502 00 / 505 00 • Porsche A40 • Renault RN 0700 / 0710 • Ford WSS-M2C937-A	1	806 800 000
		4	807 800 000
		5	808 800 000
		20	809 800 000
		60	810 800 000
		208	811 800 000
		1,000	812 800 000
5W-20 Pro	API SP • ILSAC GF-6A • GM dexos1 Gen 2 • Ford WSS-M2C960 • Chrysler MS-6395	1	1177 800 000
		4	1178 800 000
		5	1179 800 000
		20	1180 800 000
		60	1181 800 000
		208	1182 800 000
		1,000	1183 800 000
5W-30 A3/B4	API SN • ACEA A3/B4	1	1046 800 000
		4	1047 800 000
		5	1048 800 000
		20	1049 800 000
		60	1050 800 000
		208	1051 800 000
		1,000	1052 800 000
5W-30 A3/B4 Pro	ACEA A3/B4 • API SL • MB 229.3 • VW 502 00 / 505 00 • BMW LL 98 • Porsche A40 • Renault RN 0710 / 0700 • Opel GM-LL-B-025 • Fiat 9.55535-M2 • PSA B71 2296	1	813 800 000
		4	814 800 000
		5	815 800 000
		20	816 800 000
		60	817 800 000
		208	818 800 000
		1,000	819 800 000
5W-30 A3/B4 Pro S	ACEA A3/B4 • API SL • VW 502 00 / 505 00 • MB 229.5 • BMW Longlife-01 • Renault RN 0700 / 0710 • Opel GM-LL-B-025	1	1128 800 000
		4	1129 800 000
		5	1130 800 000
		20	1131 800 000
		60	1132 800 000
		208	1133 800 000
		1,000	1134 800 000

Engine oil for passenger cars



Type	Specifications	Liter	Article number
5W-30 A5/B5 Pro	Ford WSS-M2C 913-B/-C /-D	1	1115 800 000
		4	1116 800 000
		5	1117 800 000
		20	1118 800 000
		60	1119 800 000
		208	1120 800 000
		1,000	1121 800 000
5W-30 C3 Pro	ACEA C3 • API SN/CF • BMW Longlife-04 • GM dexos 2 • MB 226.5 / 229.52 / 229.51 / 229.31 • VW 502 00 / 505 00 / 505 01 • Renault RN 0700 / 0710	1	529 800 000
		4	530 800 000
		5	531 800 000
		20	532 800 000
		60	1081 800 000
		208	533 800 000
		1,000	534 800 000
5W-30 C3 Pro S	ACEA C3 • BMW Longlife-04 • MB 229.51 • Porsche C30 • VW 504 00 / 507 00	1	535 800 000
		4	536 800 000
		5	537 800 000
		20	538 800 000
		60	1082 800 000
		208	539 800 000
		1,000	540 800 000
5W-30 C3 Pro S1	ACEA C3-12 • BMW Longlife-04 • MB 229.51 • VW 504 00 / 507 00	1	637 800 000
		4	638 800 000
		5	639 800 000
		20	640 800 000
		60	1087 800 000
		208	641 800 000
		1,000	642 800 000
5W-30 Pro	API SN Plus • ILSAC GF-5 • GM dexos 1 Gen 3 • Ford WSS-M2C961-A / WSS-M2C929-A / WSS-M2C946-A / WSSM2C946-B1 • Fiat 9.55535-CR1 • Chrysler MS-6395 • Daihatsu • Honda • Kia • Isuzu • Lexus • Mazda • Nissan • Subaru • Suzuki • Toyota	1	581 800 000
		4	582 800 000
		5	583 800 000
		20	584 800 000
		60	1085 800 000
		208	585 800 000
		1,000	586 800 000
5W-30 SN	API SN	1	1163 800 000
		4	1164 800 000
		5	1165 800 000
		20	1166 800 000
		60	1167 800 000
		208	1168 800 000
		1,000	1169 800 000

Engine oil for passenger cars



Type	Specifications	Liter	Article number
5W-40 A3/B4	ACEA A3/B4 • API SN	1	1053 800 000
		4	1054 800 000
		5	1055 800 000
		20	1056 800 000
		60	1057 800 000
		208	1058 800 000
		1,000	1059 800 000
5W-40 A3/B4 Pro	ACEA A3/B4 • API SN/CF • BMW Longlife-98 • GM-LL-B-025 • MB 229.3 • PSA B71 2296 • VW 502 00 / 505 00 • Porsche A40 • Renault RN 0700 / 0710 • Fiat 9.55535-M2	1	643 800 000
		4	644 800 000
		5	645 800 000
		20	646 800 000
		60	1088 800 000
		208	647 800 000
		1,000	648 800 000
5W-40 A3/B4 Pro S	ACEA A3/B4 • API SN/CF • BMW Longlife-01 • GM-LL-B-025 • MB 226.5 / 229.5 • PSA B71 2296 • VW 502 00 / 505 00 • Porsche A40 • Renault RN 0700 / 0710	1	541 800 000
		4	542 800 000
		5	543 800 000
		20	544 800 000
		60	1083 800 000
		208	545 800 000
		1,000	546 800 000
5W-40 C3 Pro	ACEA C3 • API SN/CF • BMW Longlife-04 • GM dexos 2 • MB 229.51 / 229.31 / 226.5 • VW 502 00 / 505 00 / 505 01 • Porsche A40 • Renault RN 0700 / RN 0710 • Ford WSS -M2C917-A • Fiat 9.55535-S2	1	547 800 000
		4	548 800 000
		5	549 800 000
		20	550 800 000
		60	1084 800 000
		208	551 800 000
		1,000	552 800 000
5W-40 SN	API SN	1	1170 800 000
		4	1171 800 000
		5	1172 800 000
		20	1173 800 000
		60	1174 800 000
		208	1175 800 000
		1,000	1176 800 000
5W-50 A3/B4 Pro	ACEA A3/B4 • API SN	1	883 800 000
		4	884 800 000
		5	885 800 000
		20	886 800 000
		60	887 800 000
		208	888 800 000
		1,000	889 800 000

Engine oil for passenger cars



Type	Specifications	Liter	Article number
10W-40 A3/B4 Pro	ACEA A3/B4-12 • API SL/CF • MB 229.1 • VW 505 00 • Renault RN 0700 • PSA B71 2296	1	553 800 000
		4	554 800 000
		5	555 800 000
		20	556 800 000
		60	1091 800 000
		208	557 800 000
		1,000	558 800 000
10W-40 A3/B4 Pro S	ACEA A3/B4 • API SL • MB 229.3 / 226.5 • VW 501 01 / 505 00 • Renault RN 0700 / 0710 • Fiat 9.55535-G2/D2	1	854 800 000
		4	855 800 000
		5	856 800 000
		20	857 800 000
		60	858 800 000
		208	859 800 000
		1,000	860 800 000
10W-40 SL Pro	API SL	1	1039 800 000
		4	1040 800 000
		5	1041 800 000
		20	1042 800 000
		60	1043 800 000
		208	1044 800 000
		1,000	1045 800 000
10W-60 A3/B4 Pro	ACEA A3/B4 • API SN	1	890 800 000
		4	891 800 000
		5	892 800 000
		20	893 800 000
		60	894 800 000
		208	895 800 000
		1,000	896 800 000
15W-40 A3/B4 Pro	ACEA A3/B4-12 • API SL/CF • MB 229.1 • VW 505 00	1	649 800 000
		4	650 800 000
		5	651 800 000
		20	652 800 000
		60	1089 800 000
		208	653 800 000
		1,000	654 800 000
20W-50 A3/B4 Pro	ACEA A3/B4-12 • API SL/CF • MB 229.1	1	655 800 000
		4	656 800 000
		5	657 800 000
		20	658 800 000
		60	1090 800 000
		208	659 800 000
		1,000	660 800 000

Automatic transmission oil for passenger cars



Type	Specifications	Liter	Article number
ATF 7 Speed	MB 236.14 / 236.12 • Audi G 052 162 (A1, A2) • Porsche P/N 999 917 547 00 • PSA Peugeot/Citroen P/N Z 00169756 • Jaguar JLM 20238	1	611 800 000
		4	612 800 000
		5	613 800 000
		208	614 800 000
ATF 7 Speed ECO	MB 236.15	1	573 800 000
		4	574 800 000
		5	575 800 000
		208	576 800 000
ATF 8 Speed	BMW L12108 (83 22 2 152 426) / 83 22 2 305 397 / 83 22 2 289 720 • Chrysler 68157995AA • Jaguar 02JDE26444 • Land Rover LR023288 / 232289 • VW G 060 162 A1 /A2/A6 • G 055 162 (A2/A6)	1	577 800 000
		4	578 800 000
		5	579 800 000
		208	580 800 000
ATF CVT	VW G 052 180, G 052 516 • Daihatsu AMIX CVTF DC /DFC/ DFE/ TC • Ford CVT 23 / WSS-M2C928-A • GM SATURN DEX-CVT • Hyundai / Kia SP-III • Chrysler/Dodge/Jeep NS-II • MB 236.20 (001 989 46 03) • MINI EZL799/799A	1	603 800 000
		4	604 800 000
		5	605 800 000
		208	606 800 000
ATF DCT	BMW DCTF-1 (83 220 440 214) / MTF LT-5 (83 22 2167 666) / 83 22 0397 244 / 83 22 2147 477 • Chrysler Powershift 6-Speed (Getrag) / 68044345 EA & GA • Ferrari TF D	1	599 800 000
		4	600 800 000
		5	601 800 000
		208	602 800 000
ATF Dex III H	GM DEXRON III-G / III-H • Allison C-4 / TES-389 • MB 236.1 / 236.5 / 236.6 / 236.7 • MAN 339 Typ Z1 & V1, Z2 & V2 • Volvo 97340, 97341 • Voith 55.6335, 55.6336 • ZF TE-ML 02F, 04D, 09, 11A, 14A & 17C	1	623 800 000
		4	624 800 000
		5	625 800 000
		208	626 800 000
ATF Dex VI	BMW 83 22 0 142 516 / 83 22 0 397 114 / 83 22 2 163 514 (BMW 8072 B) • Hyundai/Kia 040000C90SG / NWS-9638 T-5 / SP-IV / SPH-IV • VW G 055 005 (-A, A2) • G 052 533, G 055 540 (A2)	1	607 800 000
		4	608 800 000
		5	609 800 000
		208	610 800 000
ATF Dex VI - RED	DEXRON VI • BMW 83 22 0 142 516 / 83 22 0 397 114 / 83 22 2 163 514 (BMW 8072 B) • Hyundai/Kia 040000C90SG / NWS-9638 T-5 • VW G 055 005 (-A, A2) / G 052 533 / G 055 540 (A2)	1	615 800 000
		4	616 800 000
		5	617 800 000
		208	618 800 000
ATF Multi Vehicle	GM DEXRON II / II-D / II-E / III-G / III-H • Allison C-4 / TES-295 / TES-389 • BMW/Mini P/N 81 22 9 400 272/275 / 81 22 9 407 858/859 • VW/Audi G 052 990 (A2), G 055 025 (A2), US 000 162	1	619 800 000
		4	620 800 000
		5	621 800 000
		208	622 800 000

Automatic transmission oil for passenger cars



Type	Specifications	Liter	Article number
ATF XMB 17	MB 236.16 / 236.17 / 236.41 • Aisin AW F8FXX • DSIH 6p805 (Geely, Ssangyong, Mahindra 6sp) • Hyundai NWS-9638 / Hyundai/Kia SP-IV, SPH-IV, SP-IV RR • JASO 1-A-LV • Mitsubishi ATF-J3, ATF-PA • Mopar 68218925AA • Nissan Matic S / Matic W • Saab 93 165 147 • Volvo 6 speed MY 2011-2013 (P/N 31256774 or 31256675) • VW G 052 540 / G 055 005 / G 055 162 • ZF TE-ML 13 / ZF 6 Speed (S671 090 255)	1	1210 800 000
		4	1211 800 000
		5	1212 800 000
		20	1213 800 000
		60	1214 800 000
		208	1215 800 000
	1,000	1216 800 000	

Manual transmission oil for passenger cars



Type	Specifications	Liter	Article number
75W-90 GL-5	API GL-5 • MAN 342 Typ M-1 • ZF TE-ML 05A, 07A, 16B/C/D, 17B, 19B • Volvo 97310 • MB 235.0 • MIL-L-2105 D	1	1060 800 000
		4	1061 800 000
		5	1062 800 000
		20	1063 800 000
		60	1064 800 000
		208	1065 800 000
	1,000	1066 800 000	
75W-90 TDL GL-4/5	API GL-4/5 • MT-1 • MAN M 3343 • MB 236.6 • ZF TE-ML 02B, 05A, 07A, 08, 16B, 17 A & B • MIL-PRF-2105 D & E	1	1101 800 000
		4	1102 800 000
		5	1103 800 000
		20	1104 800 000
		60	1105 800 000
		208	1106 800 000
	1,000	1107 800 000	
80W-90 MTF GL4	API GL-4 • MAN 341 E-1 • MB 235.1 • ZF TE-ML 06L, 08, 16A, 17A, 19A, 19C	1	673 800 000
		4	674 800 000
		5	675 800 000
		20	1238 800 000
		208	676 800 000

Other lubricants for passenger cars



Type	Specifications	Liter	Article number
Antifreeze Conc. GW11 (Radiator antifreeze)	ASTM D 3306, D 4656, D 4958, BS 6580 • MB 325.0 / 325.2 • SAE J 1034 (1996) • MAN 324 NF • BMW GS 94000 • VW TL 774-C (G11) • Cummins 85T8 • Volvo 128 6083/002 • Opel GME L301 • Saab 6901 599 • Lada TTM VAZ 1.97.717-97 • Ford ESDM97B94-A • MTU MTL 5048 • JASO M325 (Japan) • KSM 2142 • NATO S-759 • Swiss Fed. Lab Empa • NFR 15-601 • TL 6850-0038 (MIL Germany), E/L-1415b (MIL Italy), DCSEA 615/C (MIL France), FSD 8704 (MIL Sweden), BT-PS-606 A (MIL Belgium), FVV Heft R443 (Germany), FS 6850-0951 (MIL Norway)	1,5	631 800 000
		208	632 800 000
		1,000	633 800 000
Catalytic Converter (Fuel additive)	-	0,3	1160 800 000
Fuel System Cleaner (Fuel additive)	-	0,3	1159 800 000
Octan Booster (Fuel additive)	-	0,3	1161 800 000
Engine Flush (Engine oil additive)	-	0,3	1157 800 000
Nano Engine Protect (Engine oil additive)	-	0,3	1162 800 000
Oil System Care (Engine oil additive)	-	0,3	1158 800 000

Engine oil for heavy duty vehicles



Type	Specifications	Liter	Article number
5W-30 E6 HD	ACEA E6/E7/E9 • API CI-4 • MB 228.51 / 226.9 • Volvo VDS-3 / CNG • Scania LDF4 • MAN M 3677, M 3477, M 3271-1 • Caterpillar ECF-1-a • Deutz DQC IV-10 LA • Cummins CES 20076, 20077 • Renault VI RLD-2, RXD, RGD • Mack EO-N, EO-M Plus • MTU Typ 3.1	1	1011 800 000
		4	1012 800 000
		5	1013 800 000
		20	1014 800 000
		60	1015 800 000
		208	1016 800 000
	1,000	1017 800 000	

Engine oil for heavy duty vehicles



Type	Specifications	Liter	Article number
5W-30 E6 HD Pro S	ACEA E4/E6/E7/E9 • API CK-4 • MAN M3777 / M3677 • MB 228.5 / 228.31 / 235.28 • JASO DH-2, DH-1, DL-0 • Volvo VDS 4.5 • Renault RLD-4 • Mack EOS 4.5 • MTU 3.1 / 2.1 • Cummins CES20086 / 200081 • Deutz DQC IV-18 LA • Detroit Diesel 93K222 / 93K218 • Caterpillar ECF-3 • Voith Class B • Scania LDF-4	1	1025 800 000
		4	1026 800 000
		5	1027 800 000
		20	1028 800 000
		60	1029 800 000
		208	1030 800 000
		1,000	1031 800 000
5W-40 E4 HD Pro	ACEA E4/E7 • API CI-4 PLUS • MB 228.5 • Volvo VDS-3 • Mack EO-N • Renault VI RLD-2 / RXD • Cummins CES 20076, 20077, 20078	1	799 800 000
		4	800 800 000
		5	801 800 000
		20	802 800 000
		60	803 800 000
		208	804 800 000
		1,000	805 800 000
10W-40 E4 HD Pro	ACEA E4/E7 • API CI-4/SL • MB 228.5 • MAN M 3277 / 3377 • Volvo VDS-3 • Mack EO-N / EO-M+ • Renault VI RLD-2 / RXD • Deutz DQC IV-10 • MTU Tpy 3 • Cummins CES 20076, 20077, 20078 • DAF HP • Scania LDF-2 • Caterpillar ECF 1-a, ECF 2 • Global DHD-1 • Detroit Diesel 93K215	1	792 800 000
		4	793 800 000
		5	794 800 000
		20	795 800 000
		60	796 800 000
		208	797 800 000
		1,000	798 800 000
10W-40 E6 HD	ACEA E6/E7/E9 • API CI-4 • Deutz DQC IV-10 LA • Caterpillar ECF-1a • Cummins CES 20076/20077 • Mack EO-M Plus / EO-N, MAN M 3477 / M 3271-1 • MB 228.51 • MTU Type 3.1 • Scania LA • DAF • Volvo VDS-3 / CNG • Renault RXD / RGD / VI RLD-2	1	1184 800 000
		4	1185 800 000
		5	1186 800 000
		20	1187 800 000
		60	1188 800 000
		208	1189 800 000
		1,000	1190 800 000
10W-40 E6 HD Pro	ACEA E6-/E7-/E9-12 • API CI-4 • Deutz DQC IV-10 LA • Caterpillar ECF-1a • Cummins CES 20076/20077 • Mack EO-M Plus / EO-N • MAN M 3477 / M 3271-1 • MB 228.51 / 228.31 / 226.9 • MTU Type 3.1 • Scania LA • DAF • Volvo VDS-3 / CNG • Renault RXD / RGD / VI RLD-2	1	593 800 000
		4	594 800 000
		5	595 800 000
		20	596 800 000
		208	597 800 000
10W-40 E7 HD Pro	ACEA E7 • API CI-4/SL • Volvo VDS-3 • MAN M 3275 • MB 228.3 • Caterpillar ECF-1a / ECF-2 • Cummins CES 20077 / 20078 • Detroit Diesel 93K215 • MTU Type 2.0 • Deutz DQC-III-10 • GLOBAL DHD-1 • JASO DH-1 • Mack EO-N / EO-M PLUS • Renault RLD / RLD-2	1	661 800 000
		4	662 800 000
		5	663 800 000
		20	664 800 000
		208	665 800 000

Engine oil for heavy duty vehicles



Type	Specifications	Liter	Article number
15W-40 E7 HD Pro	ACEA E7 • API CI-4/SL • Volvo VDS-3 • MAN M 3275 • MB 228.3 • Caterpillar ECF-1/ECF-2 • Cummins CES 20077 / 20078 • Detroit Diesel 93K215 • MTU Type 2.0 • Deutz DQC-III-10 • GLOBAL DHD-1 • JASO DH-1 • Mack EO-N / EO-M Plus	1	567 800 000
		4	568 800 000
		5	569 800 000
		20	570 800 000
		208	571 800 000
		1,000	572 800 000
15W-40 E9 HD Pro	ACEA E9-12/E7-12 • API CJ-4/CI-4/CI-4 Plus/SN • Caterpillar ECF-3 / ECF-2 / ECF-1a • Cummins CES 20081 • Detroit Diesel 93K218 • Deutz DQC-III-10 LA • Mack EO-0 Premium Plus • MB 228.31	1	561 800 000
		4	562 800 000
		5	563 800 000
		20	564 800 000
		208	565 800 000
		1,000	566 800 000
20W-50 E7 HD Pro	ACEA E7 • API CI-4/SL • MTU Type 2.0 • MAN M 3275 • MB 228.3	1	667 800 000
		4	668 800 000
		5	669 800 000
		20	670 800 000
		208	671 800 000
		1,000	672 800 000
SAE 50 SF Pro	API SF/CF/CF-4	1	839 800 000
		4	840 800 000
		5	841 800 000
		20	842 800 000
		60	843 800 000
		208	844 800 000
		1,000	845 800 000

Hydraulic oil for heavy duty vehicles



Type	Specifications	Liter	Article number
Hydro HLP 32	DIN 51 524 Teil 2 HLP • ISO 6743/3 HM • AFNOR NF E 48 602 HM • Denison HF0, HF1, HF2	1	1074 800 000
		4	1075 800 000
		5	1076 800 000
		20	1077 800 000
		60	1078 800 000
		208	1079 800 000
		1,000	1080 800 000

Hydraulic oil for heavy duty vehicles



Type	Specifications	Liter	Article number
Hydro HLP 46	DIN 51 524 Teil 2 HLP • ISO 6743/3 HM • AFNOR NF E 48 602 HM • Denison HF0, HF1, HF2	1	1067 800 000
		4	1068 800 000
		5	1069 800 000
		20	1070 800 000
		60	1071 800 000
		208	1072 800 000
		1,000	1073 800 000
Hydro HLP 46 AL	DIN 51 524 Teil 2 • AFNOR NF E 48 603, ISO 6743/4 • General Motors LS-2 • Denison HF-0, HF-1, HF-2 • EATON I-286-S, M-2950-S • Cincinnati Maschine P-68, P-69, P-70 • Bosch Rexroth RE90220 • SEB 181.222 (Performance) • Sauer Danfoss M TV	1	1217 800 000
		4	1218 800 000
		5	1219 800 000
		20	1220 800 000
		60	1221 800 000
		208	1222 800 000
		1,000	1223 800 000
Hydro HLP 68	DIN 51 524 Teil 2 • AFNOR NF E 48 602 • ISO 6743/3 • Denison HF0, HF1, HF2	1	1224 800 000
		4	1225 800 000
		5	1226 800 000
		20	1227 800 000
		60	1228 800 000
		208	1229 800 000
		1,000	1230 800 000
Hydro HLP 68 AL	DIN 51 524 Teil 2 • AFNOR NF E 48 603 • ISO 6743/4 • General Motors LS-2 • Denison HF-0, HF-1, HF-2 • EATON I-286-S, M-2950-S • Cincinnati Maschine P-68, P-69, P-70 • Bosch Rexroth RE90220 • SEB 181.222 (Performance) • Sauer Danfoss M TV	1	1231 800 000
		4	1232 800 000
		5	1233 800 000
		20	1234 800 000
		60	1235 800 000
		208	1236 800 000
		1,000	1237 800 000

Other lubricants for heavy duty vehicles



Type	Specifications	Liter	Article number
Grease KP3K-30	NLGI-Class 3 • DIN 51825 - KP3K-30	1	1198 800 000
		5	1199 800 000
		18	1200 800 000
		50	1201 800 000
		180	1202 800 000

Other lubricants for heavy duty vehicles



Type	Specifications	Liter	Article number		
Antifreeze Conc. GW12 (Radiator antifreeze)	ASTM D3306, D4656, D4985, D6210 • Deutz/MWM 0199-99-2091/8 • Cummins CES 14603/ CES 14439 • IS series u N14 • MB 325.3 • SAE J 1034 (1996) • MAN 324 SNF, MAN B&W AG D36 5600 • Jaguar / Land Rover STJLR 651.5003, Jaguar CMR 8229 • Jenbacher TA 1000-0201 • Ford WSS-M97B44-D • Opel-GM GMW 3420 • John Deere JDM H5 • Komatsu 07.892 (2009) • Mack 014 GS 17009 • Renault Trucks 41-01-001/-S Type D • Volvo 014 GS 17009 • Volvo Penta/Trucks/Construction • VW/Audi/Seat/Skoda TL774-D/F (G12/12+) • DAF 74002 • Detroit DFS93K217 • Deutz DQC CB-14 • Fiat MAT3624 • MTU MTL 5048 • Liebherr MD1-36-130 • Mazda MEZ MN 121 D • Mitsubishi MHI • Bergen Engines 2.13.01 • Case New Holland MAT 3624 • Caterpillar A4.05.09.01 • Leyland Trucks DW03245403 • SACM Diesel DLP799861 • Vauxhall GM 6277M (+B040 1065) • GME L1301 • Foton Q-FPT 2313005-2013 • MAK A4.05.09.01 • Saab B 040 1065 • Skoda 61-0-0257 • Wartsila 32-9011	1	823 800 000		
		1,5	634 800 000		
		4	824 800 000		
		5	820 800 000		
		20	825 800 000		
		60	826 800 000		
		208	635 800 000		
		1,000	636 800 000		
		ATF Dex II D (Automatic transmission fluid)	GM DEXRON II D • Allison C3/C4 • Caterpillar TO-2 • Ford M2C-138CJ, 166H, 185A / SQM-9010B • MAN 339 Typ D • MB 236.7 • ZF TE ML 03D / 04D / 09A / 11A / 14A	1	627 800 000
				4	628 800 000
5	629 800 000				
208	630 800 000				
75W-80 MTF GL4 (Manual transmission oil)	API GL-4 • MAN 341 Typ Z-5 • Volvo 97307 • ZF TE-ML 01E, 02E, 16P • MB 235.2 • Voith Typ B	1	1032 800 000		
		4	1033 800 000		
		5	1034 800 000		
		20	1035 800 000		
		60	1036 800 000		
		208	1037 800 000		
		1,000	1038 800 000		
85W-140 MTF GL4 (Manual transmission oil)	API GL-4 • MAN 341 E-1 • MB 235.1 • ZF TE-ML 06L, 08, 16A, 17A, 19A, 19C	1	677 800 000		
		4	678 800 000		
		5	679 800 000		
		208	680 800 000		
AdBlue (Urea)	-	10	828 800 000		
		200	831 800 000		
		1,000	853 800 000		
80W-90 Hypoid GL5 (Axle gear oil)	API GL-5 • MB 235.0 / 235.6 • MAN 342 M-2 • ZF TE-ML 05A, 07A, 08, 12E, 16B-D, 17B, 19B, 21A	1	681 800 000		
		4	682 800 000		
		5	683 800 000		
		208	684 800 000		
85W-140 Hypoid GL5 (Axle gear oil)	API GL-5 • MB 235.0 / 235.6 • MAN 342 M-2 • ZF TE-ML 05A, 07A, 08, 12E, 16B-D, 17B, 19B, 21A	1	685 800 000		
		4	686 800 000		
		5	687 800 000		
		208	688 800 000		



Do you have further questions or are you looking for the right spare parts? Just send an e-mail to aftermarket@hengst.com - we will be happy to contact you!

purifying our planet



Click here to go directly to the online catalog



Click here to go directly to the oil finder

Hengst SE

Nienkamp 55-85 | 48147 Münster | Germany
+49 251 20202-0 | aftermarket@hengst.com

hengst.com/lubricants



Hengst
FILTRATION